RECEIVED CENTRAL FAX CENTER

DEC 2 3 2003

### CLARK & BRODY 1750 K Street N.W.

Suite 600

Washington, D.C. 20006 Telephone: (202) 835-1111 Telecopy: (202) 835-1755 OFICIAL

## FACSIMILE TRANSMITTAL SHEET

PLEASE DELIVER TO: EXAMINER SORKIN, USPTO

FACSIMILE NUMBER: 703-872-9306

SENDER:

Conrad Clark

DATE:

December 23, 2003

CLIENT NO.

NUMBER OF PAGES (INCLUDING COVER PAGE): 7

#### COMMENTS:

I hereby certify that this communication is be transmitted by facsimile to the USPTO at the noted number this 23 day of December 2003.

Conrad Clark

If not all pages are received, please contact Marcia Harrold at (202) 835-1111.

Only the individual or entity to which it is addressed may use this information. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. Thank you.

DEC.23'2003 10:30 2028351755

CLARKBRODY

RECEIVED CENTRAL FAX CENTER

DEC 2 3 2003

#6813 P.002

OFFICIAL

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
Ellsworth et al.	Art Unit: 1723 ) Examiner: Sorkin, D. )
Serial No.: 10/019,680	
Filed: January 4, 2002	
For: BLOOD COMPONENTS SEPARATOR DISK	

## RESPONSE PURSUANT TO 37 C.F.R. §1.111

Hon. Commissioner for Patents Alexandria, Virginia 22313-1450

SIR:

In response to the office action of November 12, 2003, please amend the aboveidentified application as follows: